# Race Results

## NZ Metropolitan Trotting Club Inc, HRNZ, October 19, 2018

Compilation date: October 19, 2018, 7:32:02 PM (NZDT)

Copyright © 2018 HRNZ and NZMTC. All rights reserved.

### Trademarks.

StrideMASTER is a registered trademark of Thoroughbred Ratings Pty Ltd.

### Disclaimer.

HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

# Race Results

October 19, 2018, Race 5, AUCKLAND REACTOR AT ALABAR MOBILE PACE, Distance 1980m, Addington - Survey 1980m

| Result | TAB no. | Horse (Barrier) | 1980 to 1800m | 1800m to 1600m | 1600m to 1400m | 1400m to 1200m | 1200m to 1000m | 1000m to 800m | 800m to 600m | 600m to 400m | 400m to 200m | 200m to WP | Total or Average | Margin |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1st | 6 | **The Moonshadow (6)** | | | | | | | | | | | | |
| | | Position in running (margin) | - | 3(2.2) | 2(1.9) | 1(0.0) | 1(0.0) | 1(0.0) | 1(0.0) | 1(0.0) | 1(0.0) | 2(0.1) | | 0.00 |
| | | Sectional time (s) | 12.19 | 14.33 | 14.45 | 14.65 | 16.12 | 15.24 | 15.20 | 15.04 | 14.18 | 13.63 | | |
| | | Cumulative time (s) | 145.03 | 132.84 | 118.51 | 104.06 | 89.41 | 73.29 | 58.05 | 42.85 | 27.81 | 13.63 | 2:25.03 | |
| | | Speed (m/s) | 14.76 | 13.96 | 13.84 | 13.65 | 12.41 | 13.12 | 13.16 | 13.30 | 14.10 | 14.67 | 13.65 | |
| | | Stride length (m) | 6.32 | 6.26 | 6.13 | 6.35 | 5.95 | 6.07 | 6.22 | 6.20 | 6.07 | 6.40 | 6.20 | |
| | | Stride duration (s) | 0.430 | 0.449 | 0.443 | 0.465 | 0.480 | 0.463 | 0.473 | 0.467 | 0.431 | 0.436 | 0.454 | |
| | | Stride efficiency (%) | 62.37 | 61.33 | 58.77 | 63.09 | 55.40 | 57.67 | 60.53 | 60.13 | 57.66 | 63.97 | 59.99 | |
| | | Stride count | 28.49 | 31.92 | 32.61 | 31.48 | 33.59 | 32.92 | 32.13 | 32.24 | 32.92 | 31.26 | 319.56 | |

10 m

## Stride length




0.6 s

## Stride duration




20 m/sec

## Speed




100 %

## Stride efficiency




Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

# Race Results

October 19, 2018, Race 5, AUCKLAND REACTOR AT ALABAR MOBILE PACE, Distance 1980m, Addington - Survey 1980m

| Result | TAB no. | Horse (Barrier) | 1980 to 1800m | 1800m to 1600m | 1600m to 1400m | 1400m to 1200m | 1200m to 1000m | 1000m to 800m | 800m to 600m | 600m to 400m | 400m to 200m | 200m to WP | Total or Average | Margin |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2nd | 8 | **Nirvana Beach (7)** | | | | | | | | | | | | |
| | | Position in running (margin) | - | 9(6.3) | 9(12.0) | 9(13.2) | 9(13.0) | 4(3.1) | 2(0.9) | 2(0.2) | 2(0.4) | 1(0.0) | | 0.00 |
| | | Sectional time (s) | 12.98 | 15.32 | 14.97 | 14.61 | 14.49 | 14.87 | 15.09 | 15.07 | 14.09 | 13.54 | | |
| | | Cumulative time (s) | 145.03 | 132.05 | 116.73 | 101.76 | 87.15 | 72.66 | 57.79 | 42.70 | 27.63 | 13.54 | 2:25.03 | |
| | | Speed (m/s) | 13.86 | 13.05 | 13.36 | 13.69 | 13.80 | 13.45 | 13.25 | 13.27 | 14.19 | 14.77 | 13.65 | |
| | | Stride length (m) | 6.55 | 6.27 | 6.40 | 6.63 | 6.42 | 6.44 | 6.51 | 6.45 | 6.39 | 6.68 | 6.47 | |
| | | Stride duration (s) | 0.473 | 0.480 | 0.479 | 0.485 | 0.465 | 0.479 | 0.491 | 0.486 | 0.450 | 0.452 | 0.474 | |
| | | Stride efficiency (%) | 67.09 | 61.42 | 63.91 | 68.72 | 64.39 | 64.82 | 66.15 | 64.92 | 63.85 | 69.77 | 65.43 | |
| | | Stride count | 27.47 | 31.90 | 31.27 | 30.16 | 31.16 | 31.05 | 30.74 | 31.03 | 31.29 | 29.93 | 306.00 | |

10 m

Stride length




0.6 s

Stride duration




20 m/sec

Speed




100 %

Stride efficiency




Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

# Race Results

October 19, 2018, Race 5, AUCKLAND REACTOR AT ALABAR MOBILE PACE, Distance 1980m, Addington - Survey 1980m

| Result | TAB no. | Horse (Barrier) | 1980 to 1800m | 1800m to 1600m | 1600m to 1400m | 1400m to 1200m | 1200m to 1000m | 1000m to 800m | 800m to 600m | 600m to 400m | 400m to 200m | 200m to WP | Total or Average | Margin |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3rd | 5 | **Santanna Mach (5)** | | | | | | | | | | | | |
| | | Position in running (margin) | - | 8(6.2) | 8(10.6) | 8(11.1) | 8(11.0) | 9(8.4) | 9(8.3) | 9(7.9) | 9(8.9) | 8(5.4) | | 2.50 |
| | | Sectional time (s) | 12.90 | 15.11 | 14.85 | 14.63 | 15.69 | 15.22 | 15.14 | 15.21 | 13.59 | 13.09 | | |
| | | Cumulative time (s) | 145.43 | 132.53 | 117.42 | 102.57 | 87.94 | 72.25 | 57.03 | 41.89 | 26.68 | 13.09 | 2:25.43 | |
| | | Speed (m/s) | 13.95 | 13.24 | 13.47 | 13.67 | 12.75 | 13.14 | 13.21 | 13.15 | 14.72 | 15.28 | 13.61 | |
| | | Stride length (m) | 6.27 | 6.09 | 6.28 | 6.43 | 6.08 | 6.22 | 6.33 | 6.26 | 6.49 | 6.82 | 6.32 | |
| | | Stride duration (s) | 0.451 | 0.460 | 0.466 | 0.471 | 0.477 | 0.473 | 0.479 | 0.476 | 0.441 | 0.447 | 0.464 | |
| | | Stride efficiency (%) | 61.34 | 58.00 | 61.62 | 64.68 | 57.75 | 60.41 | 62.65 | 61.17 | 65.85 | 72.79 | 62.44 | |
| | | Stride count | 28.73 | 32.83 | 31.85 | 31.09 | 32.90 | 32.17 | 31.59 | 31.97 | 30.81 | 29.30 | 313.24 | |

10 m

## Stride length




0.6 s

## Stride duration




20 m/sec

## Speed




100 %

## Stride efficiency




Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

# Race Results

October 19, 2018, Race 5, AUCKLAND REACTOR AT ALABAR MOBILE PACE, Distance 1980m, Addington - Survey 1980m

| Result | TAB no. | Horse (Barrier) | 1980 to 1800m | 1800m to 1600m | 1600m to 1400m | 1400m to 1200m | 1200m to 1000m | 1000m to 800m | 800m to 600m | 600m to 400m | 400m to 200m | 200m to WP | Total or Average | Margin |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4th | 4 | **Mahksman (4)** | | | | | | | | | | | | |
| | | Position in running (margin) | - | 7(4.4) | 7(8.2) | 7(8.7) | 7(9.1) | 8(6.2) | 8(6.6) | 8(6.1) | 8(6.8) | 5(3.7) | | 2.60 |
| | | Sectional time (s) | 12.70 | 15.01 | 14.85 | 14.71 | 15.64 | 15.31 | 15.12 | 15.17 | 13.65 | 13.37 | | |
| | | Cumulative time (s) | 145.53 | 132.83 | 117.82 | 102.97 | 88.26 | 72.62 | 57.31 | 42.19 | 27.02 | 13.37 | 2:25.53 | |
| | | Speed (m/s) | 14.17 | 13.32 | 13.47 | 13.60 | 12.79 | 13.06 | 13.23 | 13.18 | 14.65 | 14.96 | 13.60 | |
| | | Stride length (m) | 6.25 | 6.06 | 6.16 | 6.26 | 5.93 | 6.00 | 6.15 | 6.03 | 6.03 | 6.43 | 6.13 | |
| | | Stride duration (s) | 0.439 | 0.455 | 0.458 | 0.460 | 0.464 | 0.459 | 0.465 | 0.457 | 0.411 | 0.430 | 0.450 | |
| | | Stride efficiency (%) | 61.12 | 57.45 | 59.35 | 61.21 | 55.03 | 56.23 | 59.07 | 56.83 | 56.75 | 64.58 | 58.64 | |
| | | Stride count | 28.78 | 32.98 | 32.45 | 31.96 | 33.70 | 33.34 | 32.53 | 33.17 | 33.19 | 31.11 | 323.21 | |

10 m

## Stride length




0.6 s

## Stride duration




20 m/sec

## Speed




100 %

## Stride efficiency




Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

# Race Results

October 19, 2018, Race 5, AUCKLAND REACTOR AT ALABAR MOBILE PACE, Distance 1980m, Addington - Survey 1980m

| Result | TAB no. | Horse (Barrier) | 1980 to | 1800m to | 1600m to | 1400m to | 1200m to | 1000m to | 800m to | 600m to | 400m to | 200m to | Total or | Margin |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5th | 3 | **Adam Patron (3)** | **1800m** | **1600m** | **1400m** | **1200m** | **1000m** | **800m** | **600m** | **400m** | **200m** | **WP** | **Average** | |
| | | Position in running (margin) | - | 4(2.5) | 4(4.0) | 4(4.0) | 4(5.1) | 3(2.8) | 5(3.1) | 4(2.7) | 4(2.8) | 3(3.0) | | 4.20 |
| | | Sectional time (s) | 12.13 | 14.63 | 14.77 | 14.83 | 15.75 | 15.29 | 15.12 | 15.06 | 14.19 | 13.96 | | |
| | | Cumulative time (s) | 145.73 | 133.60 | 118.97 | 104.20 | 89.37 | 73.62 | 58.33 | 43.21 | 28.15 | 13.96 | 2:25.73 | |
| | | Speed (m/s) | 14.83 | 13.67 | 13.54 | 13.49 | 12.70 | 13.08 | 13.23 | 13.28 | 14.09 | 14.33 | 13.59 | |
| | | Stride length (m) | 6.90 | 6.77 | 6.81 | 6.83 | 6.48 | 6.63 | 6.85 | 6.67 | 6.53 | 6.79 | 6.72 | |
| | | Stride duration (s) | 0.472 | 0.496 | 0.503 | 0.507 | 0.510 | 0.507 | 0.518 | 0.502 | 0.463 | 0.474 | 0.495 | |
| | | Stride efficiency (%) | 74.43 | 71.71 | 72.45 | 72.96 | 65.60 | 68.62 | 73.41 | 69.44 | 66.67 | 72.03 | 70.61 | |
| | | Stride count | 26.08 | 29.52 | 29.37 | 29.27 | 30.87 | 30.18 | 29.18 | 30.00 | 30.62 | 29.46 | 294.55 | |

10 m

## Stride length




0.6 s

## Stride duration




20 m/sec

## Speed




100 %

## Stride efficiency




Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

# Race Results

October 19, 2018, Race 5, AUCKLAND REACTOR AT ALABAR MOBILE PACE, Distance 1980m, Addington - Survey 1980m

| Result | TAB no. | Horse (Barrier) | 1980 to 1800m | 1800m to 1600m | 1600m to 1400m | 1400m to 1200m | 1200m to 1000m | 1000m to 800m | 800m to 600m | 600m to 400m | 400m to 200m | 200m to WP | Total or Average | Margin |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6th | 11 | **Madiba (9)** | | | | | | | | | | | | |
| | | Position in running (margin) | - | 6(3.5) | 6(6.1) | 6(7.0) | 6(7.4) | 6(4.2) | 6(4.6) | 6(4.1) | 6(4.8) | 6(4.5) | | 5.90 |
| | | Sectional time (s) | 12.46 | 14.80 | 14.92 | 14.72 | 15.60 | 15.29 | 15.12 | 15.17 | 14.10 | 13.85 | | |
| | | Cumulative time (s) | 146.03 | 133.57 | 118.77 | 103.85 | 89.13 | 73.53 | 58.24 | 43.12 | 27.95 | 13.85 | 2:26.03 | |
| | | Speed (m/s) | 14.44 | 13.51 | 13.40 | 13.59 | 12.82 | 13.08 | 13.23 | 13.18 | 14.18 | 14.44 | 13.56 | |
| | | Stride length (m) | 6.37 | 6.12 | 6.14 | 6.27 | 6.05 | 6.02 | 6.20 | 6.07 | 6.24 | 6.59 | 6.20 | |
| | | Stride duration (s) | 0.431 | 0.453 | 0.458 | 0.461 | 0.471 | 0.461 | 0.469 | 0.460 | 0.440 | 0.456 | 0.457 | |
| | | Stride efficiency (%) | 63.40 | 58.51 | 58.97 | 61.38 | 57.13 | 56.71 | 60.07 | 57.53 | 60.80 | 67.77 | 60.07 | |
| | | Stride count | 28.26 | 32.69 | 32.56 | 31.91 | 33.08 | 33.20 | 32.26 | 32.96 | 32.06 | 30.37 | 319.35 | |

10 m

Stride length




0.6 s

Stride duration




20 m/sec

Speed




100 %

Stride efficiency




Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

# Race Results

October 19, 2018, Race 5, AUCKLAND REACTOR AT ALABAR MOBILE PACE, Distance 1980m, Addington - Survey 1980m

| Result | TAB no. | Horse (Barrier) | 1980 to | 1800m to | 1600m to | 1400m to | 1200m to | 1000m to | 800m to | 600m to | 400m to | 200m to | Total or | Margin |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7th | 2 | **Hicori (2)** | **1800m** | **1600m** | **1400m** | **1200m** | **1000m** | **800m** | **600m** | **400m** | **200m** | **WP** | **Average** | |
| | | Position in running (margin) | - | 2(1.5) | 3(2.2) | 3(2.8) | 3(4.5) | 5(3.5) | 4(3.0) | 5(3.4) | 5(4.0) | 7(4.7) | | 7.30 |
| | | Sectional time (s) | 12.14 | 14.49 | 14.86 | 14.94 | 15.95 | 15.17 | 15.27 | 15.14 | 14.27 | 14.10 | | |
| | | Cumulative time (s) | 146.33 | 134.19 | 119.70 | 104.84 | 89.90 | 73.95 | 58.78 | 43.51 | 28.37 | 14.10 | 2:26.33 | |
| | | Speed (m/s) | 14.82 | 13.80 | 13.46 | 13.39 | 12.54 | 13.18 | 13.10 | 13.21 | 14.02 | 14.18 | 13.53 | |
| | | Stride length (m) | 6.07 | 6.17 | 6.04 | 6.17 | 5.93 | 6.02 | 6.05 | 6.07 | 5.96 | 6.00 | 6.05 | |
| | | Stride duration (s) | 0.411 | 0.447 | 0.449 | 0.461 | 0.473 | 0.457 | 0.462 | 0.460 | 0.425 | 0.423 | 0.447 | |
| | | Stride efficiency (%) | 57.57 | 59.45 | 57.02 | 59.43 | 54.96 | 56.71 | 57.12 | 57.64 | 55.52 | 56.24 | 57.14 | |
| | | Stride count | 29.65 | 32.42 | 33.11 | 32.43 | 33.73 | 33.20 | 33.08 | 32.93 | 33.55 | 33.34 | 327.44 | |

10 m

## Stride length




1980 m Finish

0.6 s

## Stride duration




1980 m Finish

20 m/sec

## Speed




1980 m Finish

100 %

## Stride efficiency




1980 m Finish

Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

# Race Results

October 19, 2018, Race 5, AUCKLAND REACTOR AT ALABAR MOBILE PACE, Distance 1980m, Addington - Survey 1980m

| Result | TAB no. | Horse (Barrier) | 1980 to 1800m | 1800m to 1600m | 1600m to 1400m | 1400m to 1200m | 1200m to 1000m | 1000m to 800m | 800m to 600m | 600m to 400m | 400m to 200m | 200m to WP | Total or Average | Margin |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 8th | 10 | **Eastwood Chief... (8)** | | | | | | | | | | | | |
| | | Position in running (margin) | - | 5(3.5) | 5(4.5) | 5(5.3) | 5(6.9) | 7(5.3) | 7(5.1) | 7(5.3) | 7(6.3) | 9(7.4) | | 12.10 |
| | | Sectional time (s) | 12.31 | 14.55 | 14.90 | 14.92 | 15.86 | 15.20 | 15.24 | 15.19 | 14.35 | 14.71 | | |
| | | Cumulative time (s) | 147.23 | 134.92 | 120.37 | 105.47 | 90.55 | 74.69 | 59.49 | 44.25 | 29.06 | 14.71 | 2:27.23 | |
| | | Speed (m/s) | 14.62 | 13.75 | 13.42 | 13.40 | 12.61 | 13.16 | 13.12 | 13.17 | 13.94 | 13.60 | 13.45 | |
| | | Stride length (m) | 5.91 | 5.83 | 5.73 | 5.77 | 5.51 | 5.60 | 5.66 | 5.63 | 5.68 | 5.71 | 5.70 | |
| | | Stride duration (s) | 0.399 | 0.424 | 0.427 | 0.431 | 0.437 | 0.425 | 0.432 | 0.428 | 0.408 | 0.420 | 0.424 | |
| | | Stride efficiency (%) | 54.58 | 53.15 | 51.25 | 52.10 | 47.52 | 48.94 | 50.15 | 49.57 | 50.41 | 50.97 | 50.77 | |
| | | Stride count | 30.46 | 34.29 | 34.92 | 34.64 | 36.27 | 35.74 | 35.31 | 35.51 | 35.21 | 35.02 | 347.37 | |

10 m

## Stride length




0.6 s

## Stride duration




20 m/sec

## Speed




100 %

## Stride efficiency




Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

# Race Results

October 19, 2018, Race 5, AUCKLAND REACTOR AT ALABAR MOBILE PACE, Distance 1980m, Addington - Survey 1980m

| Result | TAB no. | Horse (Barrier) | 1980 to 1800m | 1800m to 1600m | 1600m to 1400m | 1400m to 1200m | 1200m to 1000m | 1000m to 800m | 800m to 600m | 600m to 400m | 400m to 200m | 200m to WP | Total or Average | Margin |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 9th | 1 | **Stun Gun (1)** | | | | | | | | | | | | |
| | | Position in running (margin) | - | 1(0.0) | 1(0.0) | 2(0.6) | 2(2.4) | 2(2.0) | 3(0.9) | 3(1.7) | 3(2.3) | 4(3.7) | | 12.90 |
| | | Sectional time (s) | 11.93 | 14.37 | 14.88 | 14.95 | 16.05 | 15.06 | 15.33 | 15.14 | 14.40 | 15.22 | | |
| | | Cumulative time (s) | 147.33 | 135.40 | 121.03 | 106.15 | 91.20 | 75.15 | 60.09 | 44.76 | 29.62 | 15.22 | 2:27.33 | |
| | | Speed (m/s) | 15.08 | 13.92 | 13.44 | 13.38 | 12.46 | 13.28 | 13.05 | 13.21 | 13.89 | 13.14 | 13.44 | |
| | | Stride length (m) | 6.26 | 6.22 | 5.98 | 6.03 | 5.79 | 6.00 | 5.97 | 6.00 | 5.96 | 5.82 | 6.00 | |
| | | Stride duration (s) | 0.414 | 0.447 | 0.445 | 0.451 | 0.465 | 0.452 | 0.457 | 0.454 | 0.430 | 0.443 | 0.446 | |
| | | Stride efficiency (%) | 61.31 | 60.55 | 55.93 | 56.84 | 52.43 | 56.28 | 55.66 | 56.32 | 55.59 | 52.97 | 56.25 | |
| | | Stride count | 28.74 | 32.13 | 33.43 | 33.16 | 34.53 | 33.33 | 33.51 | 33.32 | 33.53 | 34.35 | 330.03 | |

10 m

## Stride length




0.6 s

## Stride duration




20 m/sec

## Speed




100 %

## Stride efficiency




Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.