



Race Results

NZ Metropolitan Trotting Club Inc, HRNZ, June 16, 2024

Compilation date: June 16, 2024, 4:30:18 PM (NZST)

Copyright © 2024 HRNZ and NZMTC. All rights reserved.

Trademarks.

StrideMASTER is a registered trademark of Thoroughbred Ratings Pty Ltd.

Disclaimer.


HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results


June 16, 2024, Race 9, TENNANT ENGINEERING MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to	1800m to	1600m to	1400m to	1200m to	1000m to	800m to	600m to	400m to	200m to	Total or	Margin
1st	11	Acento (11)	1800m	1600m	1400m	1200m	1000m	800m	600m	400m	200m	WP	Average	
		Position in running (margin)	-	8(5.2)	8(6.2)	7(4.9)	6(4.9)	6(4.9)	6(4.2)	5(3.6)	5(2.6)	1(0.0)		0.00
		Sectional time (s)	13.00	14.73	14.80	14.64	15.84	15.85	14.91	15.20	14.28	13.84		
		Cumulative time (s)	147.09	134.09	119.36	104.56	89.92	74.08	58.23	43.32	28.12	13.84	2:27.09	
		Speed (m/s)	13.85	13.58	13.51	13.66	12.63	12.62	13.41	13.16	14.01	14.45	13.46	
		Stride length (m)	6.25	6.13	6.14	6.33	5.94	5.89	6.20	5.97	6.07	6.41	6.13	
		Stride duration (s)	0.437	0.451	0.454	0.464	0.470	0.466	0.462	0.454	0.433	0.443	0.455	
		Stride efficiency (%)	61.02	58.67	58.90	62.67	55.11	54.15	59.99	55.63	57.49	64.20	58.63	
		Stride count	28.81	32.64	32.58	31.58	33.68	33.98	32.28	33.52	32.97	31.20	323.24	


10 m Stride length




0.6 s Stride duration



20 m/sec Speed



100 % Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.


HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results


June 16, 2024, Race 9, TENNANT ENGINEERING MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to	1800m to	1600m to	1400m to	1200m to	1000m to	800m to	600m to	400m to	200m to	Total or	Margin
2nd	2	Almighty Cleve... (2)	1800m	1600m	1400m	1200m	1000m	800m	600m	400m	200m	WP	Average	
		Position in running (margin)	-	5(3.5)	6(4.5)	5(3.1)	4(3.2)	4(2.9)	4(2.4)	3(1.8)	3(1.8)	2(0.2)		0.70
		Sectional time (s)	12.75	14.74	14.80	14.65	15.79	15.88	14.91	15.36	14.45	13.89		
		Cumulative time (s)	147.22	134.47	119.73	104.93	90.28	74.49	58.61	43.70	28.34	13.89	2:27.22	
		Speed (m/s)	14.12	13.57	13.51	13.65	12.67	12.59	13.41	13.02	13.84	14.40	13.45	
		Stride length (m)	6.00	5.86	5.85	5.99	5.69	5.60	5.88	5.71	5.68	5.93	5.81	
		Stride duration (s)	0.420	0.432	0.433	0.439	0.449	0.445	0.439	0.439	0.411	0.412	0.432	
		Stride efficiency (%)	56.30	53.70	53.43	56.11	50.51	49.05	54.12	51.01	50.41	54.87	52.83	
		Stride count	29.99	34.12	34.20	33.38	35.18	35.70	33.99	35.01	35.21	33.75	340.53	


10 m Stride length




0.6 s Stride duration



20 m/sec Speed



100 % Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.


HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results


June 16, 2024, Race 9, TENNANT ENGINEERING MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to	1800m to	1600m to	1400m to	1200m to	1000m to	800m to	600m to	400m to	200m to	Total or	Margin
3rd	4	Hi Hopes (4)	1800m	1600m	1400m	1200m	1000m	800m	600m	400m	200m	WP	Average	
		Position in running (margin)	-	2(0.9)	2(0.4)	2(0.1)	3(1.8)	3(2.0)	3(2.0)	4(2.1)	4(2.1)	4(1.1)		0.80
		Sectional time (s)	12.32	14.48	14.97	14.94	15.85	15.97	15.03	15.36	14.57	13.74		
		Cumulative time (s)	147.23	134.91	120.43	105.46	90.52	74.67	58.70	43.67	28.31	13.74	2:27.23	
		Speed (m/s)	14.61	13.81	13.36	13.39	12.62	12.52	13.31	13.02	13.73	14.56	13.45	
		Stride length (m)	5.92	5.83	5.71	5.83	5.66	5.59	5.81	5.71	5.83	5.93	5.78	
		Stride duration (s)	0.398	0.422	0.428	0.436	0.449	0.447	0.437	0.438	0.424	0.407	0.430	
		Stride efficiency (%)	54.77	53.16	50.96	53.16	50.11	48.90	52.76	50.88	53.04	54.97	52.19	
		Stride count	30.41	34.29	35.02	34.29	35.32	35.75	34.42	35.05	34.33	33.72	342.60	


10 m Stride length




0.6 s Stride duration



20 m/sec Speed



100 % Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.


HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results


June 16, 2024, Race 9, TENNANT ENGINEERING MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to	1800m to	1600m to	1400m to	1200m to	1000m to	800m to	600m to	400m to	200m to	Total or	Margin
4th	7	Bettor Lover (7)	1800m	1600m	1400m	1200m	1000m	800m	600m	400m	200m	WP	Average	
		Position in running (margin)	-	3(1.9)	3(2.6)	1(0.0)	1(0.0)	1(0.0)	1(0.0)	2(0.1)	1(0.0)	3(0.4)		1.20
		Sectional time (s)	12.47	14.69	14.59	14.64	15.83	15.97	15.02	15.35	14.78	13.97		
		Cumulative time (s)	147.31	134.84	120.15	105.56	90.92	75.09	59.12	44.10	28.75	13.97	2:27.31	
		Speed (m/s)	14.44	13.61	13.71	13.66	12.63	12.52	13.32	13.03	13.53	14.32	13.44	
		Stride length (m)	6.21	6.13	6.06	6.25	5.86	5.77	6.04	5.92	5.91	6.20	6.03	
		Stride duration (s)	0.425	0.450	0.442	0.457	0.464	0.460	0.454	0.455	0.437	0.433	0.448	
		Stride efficiency (%)	60.26	58.66	57.33	60.99	53.58	51.95	57.02	54.79	54.56	59.99	56.76	
		Stride count	28.99	32.64	33.02	32.01	34.16	34.69	33.11	33.78	33.85	32.28	328.53	


10 m Stride length




0.6 s Stride duration



20 m/sec Speed



100 % Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.


HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results


June 16, 2024, Race 9, TENNANT ENGINEERING MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to	1800m to	1600m to	1400m to	1200m to	1000m to	800m to	600m to	400m to	200m to	Total or	Margin
5th	8	Lord Mudrick (8)	1800m	1600m	1400m	1200m	1000m	800m	600m	400m	200m	WP	Average	
		Position in running (margin)	-	1(0.0)	1(0.0)	4(1.8)	5(3.7)	5(3.9)	5(3.7)	6(3.6)	6(3.6)	8(3.8)		3.40
		Sectional time (s)	12.17	14.56	15.33	14.96	15.86	15.94	15.01	15.35	14.76	13.79		
		Cumulative time (s)	147.73	135.56	121.00	105.67	90.71	74.85	58.91	43.90	28.55	13.79	2:27.73	
		Speed (m/s)	14.79	13.74	13.05	13.37	12.61	12.55	13.32	13.03	13.55	14.50	13.40	
		Stride length (m)	6.16	6.26	5.92	6.25	6.04	5.95	6.21	6.06	6.15	6.30	6.13	
		Stride duration (s)	0.411	0.456	0.454	0.467	0.479	0.474	0.466	0.465	0.454	0.434	0.457	
		Stride efficiency (%)	59.24	61.17	54.69	61.07	56.97	55.38	60.21	57.30	59.06	61.99	58.63	
		Stride count	29.23	31.97	33.81	31.99	33.12	33.60	32.22	33.03	32.53	31.75	323.25	


10 m Stride length




0.6 s Stride duration



20 m/sec Speed



100 % Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.


HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results


June 16, 2024, Race 9, TENNANT ENGINEERING MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to	1800m to	1600m to	1400m to	1200m to	1000m to	800m to	600m to	400m to	200m to	Total or	Margin
6th	6	Topaz (6)	1800m	1600m	1400m	1200m	1000m	800m	600m	400m	200m	WP	Average	
		Position in running (margin)	-	12(8.4)	12(14.1)	11(12.9)	11(12.0)	11(11.1)	11(10.8)	11(9.1)	11(7.0)	11(5.8)		4.80
		Sectional time (s)	13.54	15.51	14.82	14.50	15.67	15.93	14.73	15.01	14.53	13.74		
		Cumulative time (s)	147.98	134.44	118.93	104.11	89.61	73.94	58.01	43.28	28.27	13.74	2:27.98	
		Speed (m/s)	13.29	12.89	13.50	13.79	12.76	12.55	13.58	13.32	13.76	14.56	13.38	
		Stride length (m)	5.64	5.56	5.74	5.99	5.64	5.52	5.86	5.64	5.67	5.97	5.72	
		Stride duration (s)	0.421	0.431	0.425	0.434	0.442	0.440	0.431	0.423	0.412	0.410	0.427	
		Stride efficiency (%)	49.79	48.27	51.47	56.09	49.67	47.64	53.58	49.66	50.31	55.74	51.12	
		Stride count	31.89	35.99	34.85	33.38	35.47	36.22	34.16	35.48	35.25	33.49	346.18	


10 m Stride length




0.6 s Stride duration



20 m/sec Speed



100 % Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.


HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results


June 16, 2024, Race 9, TENNANT ENGINEERING MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to	1800m to	1600m to	1400m to	1200m to	1000m to	800m to	600m to	400m to	200m to	Total or	Margin
7th	1	Verlander (1)	1800m	1600m	1400m	1200m	1000m	800m	600m	400m	200m	WP	Average	
		Position in running (margin)	-	4(2.4)	4(3.5)	6(4.1)	7(5.6)	7(6.1)	7(5.6)	7(5.3)	8(5.4)	7(3.6)		5.40
		Sectional time (s)	12.46	14.74	15.13	14.90	15.91	15.88	14.96	15.39	14.42	14.31		
		Cumulative time (s)	148.10	135.64	120.90	105.77	90.87	74.96	59.08	44.12	28.73	14.31	2:28.10	
		Speed (m/s)	14.45	13.57	13.22	13.42	12.57	12.59	13.37	13.00	13.87	13.98	13.37	
		Stride length (m)	6.11	5.91	5.93	6.16	5.75	5.74	6.07	5.73	5.85	6.06	5.92	
		Stride duration (s)	0.421	0.435	0.449	0.458	0.457	0.456	0.454	0.441	0.422	0.433	0.443	
		Stride efficiency (%)	58.37	54.55	55.01	59.21	51.60	51.44	57.53	51.27	53.46	57.37	54.84	
		Stride count	29.45	33.85	33.71	32.49	34.80	34.86	32.96	34.92	34.19	33.01	334.24	


10 m Stride length




0.6 s Stride duration



20 m/sec Speed



100 % Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.


HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results


June 16, 2024, Race 9, TENNANT ENGINEERING MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to	1800m to	1600m to	1400m to	1200m to	1000m to	800m to	600m to	400m to	200m to	Total or	Margin
8th	12	Ned Kelly (12)	1800m	1600m	1400m	1200m	1000m	800m	600m	400m	200m	WP	Average	
		Position in running (margin)	-	10(7.1)	9(11.3)	9(8.1)	8(7.3)	8(6.7)	8(7.1)	8(6.1)	7(4.0)	5(2.5)		5.60
		Sectional time (s)	13.30	15.26	14.49	14.51	15.73	16.03	14.85	15.01	14.47	14.48		
		Cumulative time (s)	148.13	134.83	119.57	105.08	90.57	74.84	58.81	43.96	28.95	14.48	2:28.13	
		Speed (m/s)	13.53	13.11	13.80	13.78	12.71	12.48	13.47	13.32	13.82	13.81	13.37	
		Stride length (m)	6.16	5.95	6.22	6.31	5.96	5.79	6.17	5.93	6.10	6.14	6.07	
		Stride duration (s)	0.437	0.454	0.451	0.458	0.468	0.464	0.459	0.445	0.441	0.445	0.454	
		Stride efficiency (%)	59.38	55.41	60.51	62.16	55.42	52.38	59.58	54.93	58.13	58.92	57.56	
		Stride count	29.20	33.59	32.14	31.71	33.58	34.54	32.39	33.73	32.79	32.57	326.24	


10 m Stride length




0.6 s Stride duration



20 m/sec Speed



100 % Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.

HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.




Race Results


June 16, 2024, Race 9, TENNANT ENGINEERING MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to	1800m to	1600m to	1400m to	1200m to	1000m to	800m to	600m to	400m to	200m to	Total or	Margin
9th	5	Krystal Deligh... (5)	1800m	1600m	1400m	1200m	1000m	800m	600m	400m	200m	WP	Average	
		Position in running (margin)	-	9(7.0)	10(12.6)	10(10.4)	10(9.2)	10(8.9)	10(7.5)	10(5.6)	10(5.2)			6.30
		Sectional time (s)	13.28	15.49	14.67	14.43	15.85	15.91	14.78	15.05	14.65	14.14		
		Cumulative time (s)	148.25	134.97	119.48	104.81	90.38	74.53	58.62	43.84	28.79	14.14	2:28.25	
		Speed (m/s)	13.55	12.91	13.63	13.86	12.62	12.57	13.53	13.29	13.65	14.14	13.36	
		Stride length (m)	6.07	5.92	6.17	6.50	6.06	5.96	6.34	6.04	6.22	6.47	6.17	
		Stride duration (s)	0.442	0.459	0.452	0.469	0.480	0.474	0.469	0.454	0.455	0.458	0.462	
		Stride efficiency (%)	57.64	54.82	59.41	65.94	57.44	55.55	62.82	57.01	60.38	65.46	59.49	
		Stride count	29.64	33.77	32.44	30.79	32.99	33.54	31.54	33.11	32.18	30.90	320.90	


10 m Stride length




0.6 s Stride duration



20 m/sec Speed



100 % Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.


HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results


June 16, 2024, Race 9, TENNANT ENGINEERING MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to	1800m to	1600m to	1400m to	1200m to	1000m to	800m to	600m to	400m to	200m to	Total or	Margin
10th	9	Opo (9)	1800m	1600m	1400m	1200m	1000m	800m	600m	400m	200m	WP	Average	
		Position in running (margin)	-	11(7.3)	11(14.0)	12(14.8)	12(13.6)	12(12.9)	12(12.5)	12(10.9)	12(8.9)	12(8.0)		8.30
		Sectional time (s)	13.49	15.68	15.15	14.45	15.72	15.90	14.74	15.03	14.57	13.89		
		Cumulative time (s)	148.62	135.13	119.45	104.30	89.85	74.13	58.23	43.49	28.46	13.89	2:28.62	
		Speed (m/s)	13.34	12.76	13.20	13.84	12.72	12.58	13.57	13.31	13.73	14.40	13.32	
		Stride length (m)	5.87	5.68	5.89	6.30	5.98	5.84	6.21	5.83	5.91	6.27	5.97	
		Stride duration (s)	0.431	0.445	0.447	0.455	0.470	0.464	0.458	0.438	0.430	0.435	0.448	
		Stride efficiency (%)	53.77	50.35	54.27	61.93	55.96	53.21	60.20	53.08	54.50	61.35	55.70	
		Stride count	30.69	35.23	33.94	31.77	33.42	34.27	32.22	34.32	33.87	31.92	331.65	


10 m Stride length




0.6 s Stride duration



20 m/sec Speed



100 % Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.


HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results


June 16, 2024, Race 9, TENNANT ENGINEERING MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to	1800m to	1600m to	1400m to	1200m to	1000m to	800m to	600m to	400m to	200m to	Total or	Margin
11th	10	White Star Orl... (10)	1800m	1600m	1400m	1200m	1000m	800m	600m	400m	200m	WP	Average	
		Position in running (margin)	-	7(4.5)	7(4.5)	8(5.6)	9(7.4)	9(7.6)	9(7.2)	9(7.3)	9(5.5)	9(4.8)		11.50
		Sectional time (s)	13.01	14.58	15.20	14.95	15.87	15.90	15.02	15.08	14.59	15.01		
		Cumulative time (s)	149.21	136.20	121.62	106.42	91.47	75.60	59.70	44.68	29.60	15.01	2:29.21	
		Speed (m/s)	13.84	13.72	13.16	13.38	12.60	12.58	13.32	13.26	13.71	13.32	13.27	
		Stride length (m)	6.32	6.37	6.16	6.44	6.20	6.12	6.32	6.14	6.13	6.23	6.24	
		Stride duration (s)	0.437	0.464	0.468	0.481	0.492	0.486	0.474	0.463	0.447	0.467	0.470	
		Stride efficiency (%)	62.36	63.36	59.37	64.77	60.11	58.51	62.33	58.91	58.71	60.58	60.83	
		Stride count	28.49	31.41	32.45	31.06	32.25	32.69	31.67	32.57	32.63	32.12	317.34	


10 m Stride length




0.6 s Stride duration



20 m/sec Speed



100 % Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.


HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results


June 16, 2024, Race 9, TENNANT ENGINEERING MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to	1800m to	1600m to	1400m to	1200m to	1000m to	800m to	600m to	400m to	200m to	Total or	Margin
12th	3	Ideal Chevron (3)	1800m	1600m	1400m	1200m	1000m	800m	600m	400m	200m	WP	Average	
		Position in running (margin)	-	6(3.8)	5(4.3)	3(1.6)	2(1.2)	2(1.1)	2(0.7)	1(0.0)	2(0.6)	6(2.7)		13.20
		Sectional time (s)	12.79	14.64	14.58	14.59	15.81	15.91	14.89	15.46	15.08	15.78		
		Cumulative time (s)	149.53	136.74	122.10	107.52	92.93	77.12	61.21	46.32	30.86	15.78	2:29.53	
		Speed (m/s)	14.07	13.66	13.72	13.71	12.65	12.57	13.43	12.94	13.26	12.67	13.24	
		Stride length (m)	6.64	6.43	6.49	6.70	6.29	6.19	6.55	6.25	6.33	6.34	6.41	
		Stride duration (s)	0.462	0.471	0.473	0.489	0.497	0.492	0.488	0.483	0.477	0.500	0.484	
		Stride efficiency (%)	68.89	64.65	65.77	70.10	61.89	59.78	67.02	61.04	62.63	62.74	64.29	
		Stride count	27.11	31.09	30.83	29.86	31.78	32.33	30.54	32.00	31.59	31.56	308.69	


10 m Stride length




0.6 s Stride duration



20 m/sec Speed



100 % Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.

HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.