Race Results

NZ Metropolitan Trotting Club Inc, HRNZ, April 15, 2025

Compilation date: April 15, 2025, 6:28:34 PM (NZST)

Copyright © 2025 HRNZ and NZMTC. All rights reserved.

Trademarks.

StrideMASTER is a registered trademark of Thoroughbred Ratings Pty Ltd.

Disclaimer.

HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results

April 15, 2025, Race 5, NORWOOD MACHINERY MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to 1800m	1800m to 1600m	1600m to 1400m	1400m to 1200m	1200m to 1000m	1000m to 800m	800m to 600m	600m to 400m	400m to 200m	200m to WP	Total or Average	Margin
1st	9	**Don Juan (9)**												
		Position in running (margin)	-	10(10.2)	10(13.0)	10(12.4)	10(9.3)	10(10.4)	10(8.7)	4(2.2)	1(0.0)	1(0.0)		0.00
		Sectional time (s)	13.78	15.43	15.27	15.69	15.89	15.11	13.64	13.58	13.94	14.77		
		Cumulative time (s)	147.10	133.32	117.89	102.62	86.93	71.04	55.93	42.29	28.71	14.77	2:27.10	
		Speed (m/s)	13.06	12.96	13.10	12.75	12.59	13.24	14.66	14.73	14.35	13.54	13.46	
		Stride length (m)	5.83	5.90	5.96	6.03	5.87	6.04	6.08	6.14	6.00	6.12	6.00	
		Stride duration (s)	0.440	0.456	0.455	0.473	0.467	0.457	0.415	0.417	0.419	0.452	0.446	
		Stride efficiency (%)	53.13	54.45	55.55	56.83	53.93	57.10	57.76	58.92	56.32	58.55	56.24	
		Stride count	30.87	33.88	33.54	33.17	34.05	33.09	32.90	32.57	33.31	32.67	330.05	

10 m

Stride length



0.6 s

Stride duration



20 m/sec

Speed



100 %

Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results

April 15, 2025, Race 5, NORWOOD MACHINERY MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to 1800m	1800m to 1600m	1600m to 1400m	1400m to 1200m	1200m to 1000m	1000m to 800m	800m to 600m	600m to 400m	400m to 200m	200m to WP	Total or Average	Margin
2nd	8	**Don't Tell Jen... (8)**												
		Position in running (margin)	-	5(4.5)	2(1.9)	1(0.0)	1(0.0)	1(0.0)	1(0.0)	1(0.0)	2(0.7)	2(1.1)		2.30
		Sectional time (s)	12.98	14.52	15.06	16.21	15.70	15.39	14.73	14.06	14.01	14.87		
		Cumulative time (s)	147.53	134.55	120.03	104.97	88.76	73.06	57.67	42.94	28.88	14.87	2:27.53	
		Speed (m/s)	13.87	13.77	13.28	12.34	12.74	13.00	13.58	14.22	14.28	13.45	13.42	
		Stride length (m)	18.84	9.70	47.54	16.91	20.81	79.74	42.57	25.83	24.23	22.83	22.55	
		Stride duration (s)	1.327	0.704	3.579	1.371	1.634	6.136	3.135	1.816	1.697	1.697	1.680	
		Stride efficiency (%)	554.45	146.92	3531.47	447.03	677.00	9935.78	2831.62	1042.19	917.79	814.15	794.88	
		Stride count	9.56	20.63	4.21	11.82	9.61	2.51	4.70	7.74	8.25	8.76	87.79	









Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results

April 15, 2025, Race 5, NORWOOD MACHINERY MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to 1800m	1800m to 1600m	1600m to 1400m	1400m to 1200m	1200m to 1000m	1000m to 800m	800m to 600m	600m to 400m	400m to 200m	200m to WP	Total or Average	Margin
3rd	4	**Lord Mudrick (4)**												
		Position in running (margin)	-	1(0.0)	1(0.0)	2(2.0)	2(1.8)	2(2.3)	2(1.5)	3(1.8)	3(2.1)	3(3.4)		3.30
		Sectional time (s)	12.42	14.96	15.71	16.17	15.79	15.26	14.79	13.99	14.16	14.44		
		Cumulative time (s)	147.69	135.27	120.31	104.60	88.43	72.64	57.38	42.59	28.60	14.44	2:27.69	
		Speed (m/s)	14.49	13.37	12.73	12.37	12.67	13.11	13.52	14.30	14.12	13.85	13.41	
		Stride length (m)	6.13	6.10	5.93	5.92	5.97	6.10	6.19	6.17	6.07	6.19	6.07	
		Stride duration (s)	0.407	0.456	0.466	0.479	0.471	0.465	0.458	0.431	0.430	0.447	0.453	
		Stride efficiency (%)	58.66	58.06	54.89	54.79	55.75	58.19	59.95	59.47	57.55	59.93	57.66	
		Stride count	29.38	32.81	33.75	33.78	33.48	32.78	32.29	32.42	32.96	32.30	325.95	

10 m

Stride length



0.6 s

Stride duration



20 m/sec

Speed



100 %

Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results

April 15, 2025, Race 5, NORWOOD MACHINERY MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to 1800m	1800m to 1600m	1600m to 1400m	1400m to 1200m	1200m to 1000m	1000m to 800m	800m to 600m	600m to 400m	400m to 200m	200m to WP	Total or Average	Margin
4th	6	**The Highlander (6)**												
		Position in running (margin)	-	7(6.8)	8(9.6)	7(8.6)	6(5.5)	7(6.2)	6(4.8)	7(4.5)	6(6.7)	6(7.1)		3.60
		Sectional time (s)	13.27	15.43	15.21	15.69	15.82	15.17	14.66	14.33	14.01	14.16		
		Cumulative time (s)	147.75	134.48	119.05	103.84	88.15	72.33	57.16	42.50	28.17	14.16	2:27.75	
		Speed (m/s)	13.57	12.96	13.15	12.75	12.64	13.18	13.64	13.96	14.28	14.12	13.40	
		Stride length (m)	6.25	6.01	6.08	6.10	5.99	6.12	6.38	6.28	6.28	6.31	6.18	
		Stride duration (s)	0.453	0.464	0.463	0.479	0.474	0.464	0.468	0.450	0.440	0.447	0.461	
		Stride efficiency (%)	61.02	56.52	57.82	58.14	56.10	58.57	63.56	61.57	61.55	62.20	59.61	
		Stride count	28.80	33.26	32.88	32.79	33.38	32.67	31.36	31.86	31.87	31.70	320.57	

10 m

Stride length



0.6 s

Stride duration



20 m/sec

Speed



100 %

Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results

April 15, 2025, Race 5, NORWOOD MACHINERY MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to 1800m	1800m to 1600m	1600m to 1400m	1400m to 1200m	1200m to 1000m	1000m to 800m	800m to 600m	600m to 400m	400m to 200m	200m to WP	Total or Average	Margin
5th	2	**Oakley Shard (2)**												
		Position in running (margin)	-	6(5.3)	6(6.9)	6(6.1)	4(3.1)	5(4.5)	5(3.4)	5(3.1)	5(4.1)	5(4.8)		4.30
		Sectional time (s)	13.13	15.23	15.25	15.71	15.94	15.22	14.68	14.12	14.05	14.55		
		Cumulative time (s)	147.88	134.75	119.52	104.27	88.56	72.62	57.40	42.72	28.60	14.55	2:27.88	
		Speed (m/s)	13.71	13.13	13.11	12.73	12.55	13.14	13.62	14.16	14.23	13.75	13.39	
		Stride length (m)	5.94	5.90	5.95	5.89	5.76	5.90	6.04	6.04	6.01	5.79	5.92	
		Stride duration (s)	0.423	0.449	0.453	0.463	0.459	0.449	0.443	0.427	0.422	0.421	0.442	
		Stride efficiency (%)	55.17	54.31	55.26	54.28	51.84	54.37	56.97	57.08	56.51	52.37	54.78	
		Stride count	30.29	33.93	33.63	33.93	34.72	33.91	33.12	33.09	33.26	34.55	334.43	

10 m Stride length



0.6 s Stride duration



20 m/sec Speed



100 % Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results

April 15, 2025, Race 5, NORWOOD MACHINERY MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to 1800m	1800m to 1600m	1600m to 1400m	1400m to 1200m	1200m to 1000m	1000m to 800m	800m to 600m	600m to 400m	400m to 200m	200m to WP	Total or Average	Margin
6th	10	**Lily's A Star (10)**												
		Position in running (margin)	-	4(3.9)	4(3.8)	5(6.1)	7(5.7)	6(5.9)	7(5.1)	8(5.7)	8(10.5)	8(8.6)		4.50
		Sectional time (s)	12.80	14.95	15.74	16.14	15.74	15.26	14.82	14.75	13.62	14.09		
		Cumulative time (s)	147.91	135.11	120.16	104.42	88.28	72.54	57.28	42.46	27.71	14.09	2:27.91	
		Speed (m/s)	14.06	13.38	12.71	12.39	12.71	13.11	13.50	13.56	14.68	14.19	13.39	
		Stride length (m)	6.14	6.10	5.87	5.84	5.90	6.00	6.17	5.88	6.08	6.18	6.01	
		Stride duration (s)	0.419	0.456	0.462	0.472	0.465	0.458	0.457	0.434	0.414	0.436	0.449	
		Stride efficiency (%)	58.91	58.05	53.80	53.35	54.46	56.30	59.50	54.01	57.79	59.76	56.50	
		Stride count	29.32	32.81	34.08	34.23	33.88	33.32	32.41	34.02	32.89	32.34	329.30	

10 m

Stride length



0.6 s

Stride duration



20 m/sec

Speed



100 %

Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results

April 15, 2025, Race 5, NORWOOD MACHINERY MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to	1800m to	1600m to	1400m to	1200m to	1000m to	800m to	600m to	400m to	200m to	Total or	Margin
7th	7	**Spirited Lou (7)**	**1800m**	**1600m**	**1400m**	**1200m**	**1000m**	**800m**	**600m**	**400m**	**200m**	**WP**	**Average**	
		Position in running (margin)	-	9(8.9)	9(11.3)	9(10.5)	8(7.4)	8(8.4)	8(6.9)	9(6.7)	7(8.0)	7(7.6)		7.40
		Sectional time (s)	13.83	15.37	15.24	15.69	15.87	15.14	14.69	14.16	13.88	14.57		
		Cumulative time (s)	148.44	134.61	119.24	104.00	88.31	72.44	57.30	42.61	28.45	14.57	2:28.44	
		Speed (m/s)	13.02	13.01	13.12	12.75	12.60	13.21	13.61	14.12	14.41	13.73	13.34	
		Stride length (m)	6.04	6.30	6.45	6.84	5.91	6.29	8.16	7.82	8.00	8.75	6.94	
		Stride duration (s)	0.449	0.484	0.492	0.537	0.469	0.476	0.599	0.553	0.555	0.637	0.520	
		Stride efficiency (%)	57.07	62.05	65.10	73.08	54.56	61.74	104.05	95.56	99.94	119.64	75.22	
		Stride count	29.78	31.74	30.99	29.25	33.85	31.82	24.51	25.58	25.01	22.86	285.39	









Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results

April 15, 2025, Race 5, NORWOOD MACHINERY MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to 1800m	1800m to 1600m	1600m to 1400m	1400m to 1200m	1200m to 1000m	1000m to 800m	800m to 600m	600m to 400m	400m to 200m	200m to WP	Total or Average	Margin
8th	5	**Stubing (5)**												
		Position in running (margin)	-	3(3.4)	5(4.8)	3(4.8)	3(1.8)	3(2.7)	3(1.8)	2(1.5)	4(3.2)	4(4.1)		7.60
		Sectional time (s)	12.60	15.19	15.38	15.71	15.86	15.25	14.67	14.23	14.09	15.49		
		Cumulative time (s)	148.47	135.87	120.68	105.30	89.59	73.73	58.48	43.81	29.58	15.49	2:28.47	
		Speed (m/s)	14.29	13.17	13.00	12.73	12.61	13.11	13.63	14.05	14.19	12.91	13.34	
		Stride length (m)	6.27	6.08	6.09	6.13	6.01	6.16	6.30	6.21	6.20	6.00	6.14	
		Stride duration (s)	0.434	0.462	0.468	0.481	0.477	0.470	0.462	0.442	0.437	0.465	0.461	
		Stride efficiency (%)	61.40	57.71	58.02	58.71	56.44	59.29	62.06	60.22	60.03	56.29	58.95	
		Stride count	28.71	32.91	32.82	32.63	33.28	32.47	31.74	32.22	32.27	33.32	322.37	

10 m

Stride length



0.6 s

Stride duration



20 m/sec

Speed



100 %

Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results

April 15, 2025, Race 5, NORWOOD MACHINERY MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to 1800m	1800m to 1600m	1600m to 1400m	1400m to 1200m	1200m to 1000m	1000m to 800m	800m to 600m	600m to 400m	400m to 200m	200m to WP	Total or Average	Margin
9th	3	**Melando Chief (3)**												
		Position in running (margin)	-	8(7.4)	7(8.9)	8(8.7)	9(7.8)	9(8.7)	9(8.2)	10(7.9)	9(15.9)	9(24.5)		22.40
		Sectional time (s)	13.39	15.22	15.34	16.06	15.85	15.31	14.67	15.28	15.38	14.64		
		Cumulative time (s)	151.14	137.75	122.53	107.19	91.13	75.28	59.97	45.30	30.02	14.64	2:31.14	
		Speed (m/s)	13.44	13.14	13.04	12.45	12.62	13.06	13.63	13.09	13.00	13.66	13.10	
		Stride length (m)	6.52	6.46	6.36	6.29	6.28	6.43	6.63	6.46	6.34	6.65	6.44	
		Stride duration (s)	0.475	0.491	0.488	0.505	0.498	0.493	0.486	0.493	0.488	0.487	0.491	
		Stride efficiency (%)	66.35	65.14	63.24	61.82	61.71	64.66	68.63	65.15	62.82	69.07	64.77	
		Stride count	27.62	30.98	31.44	31.80	31.83	31.09	30.18	30.98	31.54	30.08	307.54	

10 m

Stride length



0.6 s

Stride duration



20 m/sec

Speed



100 %

Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.

Race Results

April 15, 2025, Race 5, NORWOOD MACHINERY MOBILE PACE, Distance 1980m, Addington - Survey 1980m

Result	TAB no.	Horse (Barrier)	1980 to 1800m	1800m to 1600m	1600m to 1400m	1400m to 1200m	1200m to 1000m	1000m to 800m	800m to 600m	600m to 400m	400m to 200m	200m to WP	Total or Average	Margin
10th	1	**Girlshavtime (1)**												
		Position in running (margin)	-	2(1.7)	3(3.7)	4(5.2)	5(4.4)	4(4.0)	4(3.1)	6(3.2)	10(17.1)	10(36.1)		46.80
		Sectional time (s)	12.21	15.30	15.61	16.08	15.64	15.25	14.74	16.27	17.11	17.32		
		Cumulative time (s)	155.53	143.32	128.02	112.41	96.33	80.69	65.44	50.70	34.43	17.32	2:35.53	
		Speed (m/s)	14.74	13.07	12.81	12.44	12.79	13.11	13.57	12.29	11.69	11.55	12.73	
		Stride length (m)	5.69	5.54	5.53	5.48	5.59	5.56	5.70	5.23	5.06	5.07	5.43	
		Stride duration (s)	0.385	0.424	0.432	0.440	0.437	0.424	0.420	0.425	0.433	0.439	0.427	
		Stride efficiency (%)	50.59	48.03	47.80	46.87	48.88	48.29	50.81	42.67	40.08	40.13	46.13	
		Stride count	31.64	36.08	36.16	36.52	35.76	35.98	35.07	38.27	39.49	39.47	364.44	

10 m

Stride length



0.6 s

Stride duration



20 m/sec

Speed



100 %

Stride efficiency



Note: Horizontal distance axis grid lines are 200m furlongs.

Disclaimer.
HRNZ and NZMTC and Thoroughbred Ratings Pty Ltd accepts no responsibility for the completeness or accuracy of any of the information contained herein, and makes no representations about its suitability for any particular purpose. Users should make their own judgements about those matters and/or seek independent advice. You assume all risks associated with use of the data provided on this page.